

TYPE APPROVALS - APPROBATION



LASTING EXPRESSIONS

STENI Product

Product	Country	Certificate		Fire Classification
STENI Colour STENI Vision STENI Nature	All countries recognizing EN standards. i.e. Benelux.			B – s1, d0 A2 – s1, d0 (Nature Coarse) According to EN 13501-1
	Norway	SINTEF PS 3842		B – s1, d0
		SINTEF TG 2165		B – s1, d0
	Sweden	SP Certifiering 0579/95 Tilverkningsställe: Steni AS, Steinsholt Norge		B – s1, d0 , BBR 5:231. Yttervegg i byggnader kl. Br1, SP FIRE 105.
France	QB-15 Cladding QB 05-07 http://evaluation.cstb.fr/		B – s1, d0	
STENI Colour STENI Vision	Denmark	ETA MK 6.21/1250		B – s1, d0/ A-material
STENI Nature		ETA MK 6.21/0490		
STENI Colour STENI Vision	UAE USA Canada			B – s1, d0 according to EN 13501-1
				Class A according to ASTM E84-16
STENI Nature	USA Canada			Class A According to ASTM E84-05
Steni Protego Steni Protego Sand	EU			B_{ROOF(t2)} according to EN 13501-5
Fire properties controlled by; SP Fire Research.				
Technical Approval Norway controlled by; SINTEF.				
Technical Assessment in France controlled by; CSTB. Valid until 31/12/2027 http://evaluation.cstb.fr/				2.2/14-1611_v1 2.2/14-1612_v1
ISO 9001 Certificate controlled by: INTERTEK Valid until 13/08/2024				Certificate no: 0102916

STENI_AA000_EN_0324

This document replaces the document with id STENI_AA000_EN_1123